

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S54	5	((rate adj control) adj (type indicator field code) ) and wireless and (provisional near9 ("1999" "1998" "1997")) )	US-PGPUB; USPAT	OR	ON	2007/09/06 09:14
S55	8	((((flow rate) adj control) adj (type indicator field code information) ) and wireless and (provisional near9 ("1999" "1998" "1997")) ) not S54	US-PGPUB; USPAT	OR	ON	2007/09/06 09:14
S56	7	((((flow rate) near (control maximum) ) adj (type indicator field code information) ) and wireless and (provisional near9 ("1999" "1998" "1997")) ) not (S54 S55)	US-PGPUB; USPAT	OR	ON	2007/09/06 09:13
S57	14	((((flow rate) near3 (control maximum) ) adj (type indicator field code information packet message) ) and wireless and (provisional near9 ("1999" "1998" "1997")) ) not (S54 S55 S56)	US-PGPUB; USPAT	OR	ON	2007/09/06 09:12
S58	109	((((flow rate) near9 (congestion control maximum allow\$3 availab\$5 capacity) ) adj2 (type indicator field code parameter constraint information packet message) ).ab. and (wireless gprs cellular air radio cellphone) and (@ad<"19990909" @riad<"19990909") and (((flow rate) near9 (control maximum allow\$3 availab\$5 capacity congestion) ) adj2 (type indicator field code paramter constraint information packet message) )	US-PGPUB; USPAT	OR	ON	2007/09/06 09:17

## EAST Search History

S59	143	(((flow rate) near9 (congestion control maximum allow\$3 availab\$5 capacity) ) adj2 (type indicator field code parameter constraint information packet message) ).ab. and (wireless gprs cellular air radio cellphone) and (@ad<"19990909" @rlad<"19990909") and (((flow rate) near9 (control maximum allow\$3 availab\$5 capacity congestion) ) adj2 (type indicator field code parameter constraint information packet message) )	US-PGPUB; USPAT	OR	ON	2007/09/06 09:20
S60	624	((flow rate) near9 (select\$3 congestion control maximum allow\$3 availab\$5 capacity) ).ab. and (wireless gprs cell\$3 air radio mobil\$3) and (@ad<"19990909" @rlad<"19990909") and ((flow rate) near9 (select\$3 determin\$3 adjust\$5 control maximum allow\$3 availab\$5 capacity congestion) ) and (vre (variable adj rate) )	US-PGPUB; USPAT	OR	ON	2007/09/06 10:15
S61	138	S60 and (codec encoder) and (maxim\$5 stress )	US-PGPUB; USPAT	OR	ON	2007/09/06 09:58
S62	93	S60 and (codec encoder) and ( (maxim\$5 stress ) near5 rate)	US-PGPUB; USPAT	OR	ON	2007/09/06 09:59
S63	296	((flow rate) near9 (select\$3 congestion control maximum allow\$3 availab\$5 capacity) ) and (wireless gprs cell\$3 air radio mobil\$3) and (@ad<"19990909" @rlad<"19990909") and ((flow rate) near9 (select\$3 determin\$3 adjust\$5 control maximum allow\$3 availab\$5 capacity congestion) ) and ( ericksson\$5. as. (graf\$5 terrill\$5 groves\$5 hollis\$5 noguera\$5 rytina\$5).inv. )	US-PGPUB; USPAT	OR	ON	2007/09/06 10:23

## EAST Search History

S64	3	((flow rate) near9 (select\$3 congestion control maximum allow\$3 availab\$5 capacity) ) and (wireless gprs cell\$3 air radio mobil\$3) and (@ad<"19990909" @rlad<"19990909") and ((flow rate) near9 (select\$3 determin\$3 adjust\$5 control maximum allow\$3 availab\$5 capacity congestion) ) and ( ericksson\$5.as. (graf\$5 terrill\$5 groves\$5 hollis\$5 noguera\$5 rytina\$5).inv. ) and (codec encoder) and ( (maxim\$5 stress highest allow\$5 available limit threshold) near5 rate)	US-PGPUB; USPAT	OR	ON	2007/09/06 10:19
S65	6	((flow rate) near9 (select\$3 congestion control maximum allow\$3 availab\$5 capacity) ) and (wireless gprs cell\$3 air radio mobil\$3) and ((flow rate) near9 (select\$3 determin\$3 adjust\$5 control maximum allow\$3 availab\$5 capacity congestion) ) and ( ericksson\$5.as. (graf\$5 terrill\$5 groves\$5 hollis\$5 noguera\$5 rytina\$5).inv. ) and (codec encoder) and ( (maxim\$5 stress highest allow\$5 available limit threshold) near5 rate)	US-PGPUB; USPAT	OR	ON	2007/09/06 10:23
S66	44	((flow rate) near9 (select\$3 congestion control maximum allow\$3 availab\$5 capacity) ).clm. and (wireless gprs cell\$3 air radio mobil\$3).clm. and (@ad<"19990909" @rlad<"19990909") and (codec encoder).clm. and ( (maxim\$5 stress highest allow\$5 available limit threshold) near5 rate).clm.	US-PGPUB; USPAT	OR	ON	2007/09/06 10:25